

(An asterisk in the first column indicates a taxadjunct to the series. See text for a description of those characteristics that are outside the range of the series.)

Soil name	Family or higher taxonomic class
Avonburg-----	Fine-silty, mixed, mesic Aeric Fragiaqualfs
Bartle-----	Fine-silty, mixed, mesic Aeric Fragiaqualfs
Bonnell-----	Fine, mixed, mesic Typic Hapludalfs
Carmel-----	Fine, vermiculitic, mesic Vertic Hapludalfs
Chagrin-----	Fine-loamy, mixed, mesic Dystric Fluventic Eutrochrepts
Cincinnati-----	Fine-silty, mixed, mesic Oxyaquic Fragiudalfs
Clermont-----	Fine-silty, mixed, mesic Typic Glossaqualfs
Dearborn-----	Loamy-skeletal, mixed, mesic Fluventic Hapludolls
Eden-----	Fine, mixed, mesic Typic Hapludalfs
Elkinsville-----	Fine-silty, mixed, mesic Ultic Hapludalfs
Fincastle-----	Fine-silty, mixed, mesic Aeric Epiaqualfs
Fox-----	Fine-loamy, mixed, mesic Typic Hapludalfs
Hennepin-----	Fine-loamy, mixed, mesic Typic Eutrochrepts
Huntington-----	Fine-silty, mixed, mesic Fluventic Hapludolls
Jules-----	Coarse-silty, mixed (calcareous), mesic Typic Udifluvents
*Markland-----	Fine, mixed, mesic Typic Hapludalfs
Newark-----	Fine-silty, mixed, nonacid, mesic Aeric Fluvaquents
Ockley-----	Fine-loamy, mixed, mesic Typic Hapludalfs
*Orrville-----	Fine-loamy, mixed, nonacid, mesic Aeric Fluvaquents
Pate-----	Fine, illitic, mesic Typic Hapludalfs
Rahm-----	Fine-silty, mixed, nonacid, mesic Aeric Fluvaquents
Rodman-----	Sandy-skeletal, mixed, mesic Typic Hapludolls
Rossmoyn-----	Fine-silty, mixed, mesic Aquic Fragiudalfs
Russell-----	Fine-silty, mixed, mesic Typic Hapludalfs
Stonelick-----	Coarse-loamy, mixed (calcareous), mesic Typic Udifluvents
Switzerland-----	Fine-silty over clayey, mixed, mesic Typic Hapludalfs
Weisburg-----	Fine-silty, mixed, mesic Oxyaquic Fragiudalfs
Wheeling-----	Fine-loamy, mixed, mesic Ultic Hapludalfs